

BIAS PLY TIRE AND WHEEL ASSEMBLIES



A



B



C

SIZE	# OF LUGS	LOAD RANGE	S.W. (INCH)	O.D. (INCH)	CAPACITY	MAX PSI	WHEEL (INCH)	STYLE
570-8	4 or 5	C	5.9	18.0	910	75	8 x 3.75	A
480-12	4 or 5	C	4.8	20.5	990	90	12 x 4	B
530-12	4 or 5	C	5.6	21.9	1045	80	12 x 4.25	B
530-12	5	D	5.5	21.9	1250	105	12 x 4.25	B
4.80/4.00-8	4 or 5	C	4.7	16.1	760	90	8 x 3.75	A
215/60-8	4 or 5	C	8.9	18.3	935	50	8 x 7	C
205/65-10	4 or 5	C	8.3	20.5	1100	50	10 x 6	C
205/65-10	5	E	8.4	20.4	1650	90	10 x 6	C

BIAS TIRE AND WHEEL ASSEMBLIES

SIZE	# OF LUGS	LOAD RANGE	S.W. (INCH)	O.D. (INCH)	CAPACITY	MAX PSI	WHEEL (INCH)
ST175/80 D13	4 or 5	C	6.6	24	1360	50	13 x 4
ST185/80 D13	4 or 5	C	7.2	24.4	1480	50	13 x 5
ST205/75 D14	5	C	7.8	26.3	1760	50	14 x 5.5
ST205/75 D15	5	C	7.7	27.4	1820	50	15 x 5.5
ST205/75 D15	5	D	7.7	27.4	2150	65	15 x 5.5
ST225/75 D15	6	D	8.4	28.1	2540	65	15 x 6
ST225/75 D15	6	E	8.6	28.1	2961	80	15 x 6



RADIAL TIRE AND WHEEL ASSEMBLIES

SIZE	# OF LUGS	LOAD RANGE	S.W. (INCH)	O.D. (INCH)	CAPACITY	MAX PSI	WHEEL (INCH)
ST175/80 R13	4 or 5	C	7	24.1	1360	50	13 x 5
ST205/75 R14	5	C	8.1	26.3	1760	50	14 x 5.5
ST215/75 R14	5	C	8.5	26.8	1870	50	14 x 6
ST205/75 R15	5	C	8.1	27.3	1820	65	15 x 5.5
ST205/75 R15	5	D	8.1	27.3	2150	65	15 x 5
ST225/75 R15	6	D	8.9	28.4	2540	65	15 x 6
ST225/75 R15	6	E	8.9	28.4	2830	80	15 x 6
ST235/80 R16	8	E	9.4	30.9	3500	90	16 x 6.5
ST235/85 R16	8	F	9.37	31.6	3960	110	16 x 6.5



DESCRIPTION	CAPACITY	# OF LUGS	LOAD RANGE
7- 14.5	2090	Open Center	E
8-14.5	2835	Open Center	F



WHEELS

PART #	RIM SIZE	BOLT CIRCLE	PILOT	OFFSET	STYLE
92-12-4	12 x 4	4-4	2.84"	0	A
92-12-5	12 x 4	5-4.5	3.19"	0	B
92-13-4	13 x 4.5	4-4	2.65"	0	A
92-13-5	13 x 4.5	5-4.5	3.19"	0	B
92-14	14 x 5.5	5-4.5	3.19"	0	B
92-WHDD1457	14.5 x 7	8-6.5	4.75"	5.65 Out	F
92-15-SON5	15 x 5	5-5	3.19"	0	B
92-17-143	15 x 5	5-4.5	3.19"	0	B
92-17-144	15 x 6	6-5.5	4.27"	0	C
92-17-149	15 x 6	5-4.5	3.19"	0	B
92-16-6	16 x 6	6-5.5	4.27"	0	C
92-16-8	16 x 6	8-5.5	4.90"	0	D
92-153	16 x 6	8-6.5	4.89"	.50 In	E
92-17-279	16 x 6	8-6.5	4.75"	5.50 Out	F
92-154	16.5 x 6.75	8-6.5	4.89"	.50 In	E
92-17-157	16.5 x 6.75	8-6.5	4.56"	5.50 Out	F



A



B



C



D



E



F

TIRE & WHEEL ACCESSORIES

PART#	DESCRIPTION	STYLE
61-295EZ	Chrome Center Cap 2.95" O.D.	A
61-319EZ	Chrome Center Cap 3.19" O.D.	A
61-330EZ	Chrome Center Cap 3.30" O.D.	A
60-QT545CHC	Snap on Hub Cover 5-Lug	B
60-QT656CHC	Snap on Hub Cover 6-Lug	B
60-QT865CHC	Snap on Hub Cover 8-Lug	B
79-622	Spare Tire Holder	C
79-STC1000	Hi-Mount Spare Tire Holder	D
79-730551	Trailer-Aid-Trailer Tire Changing Ramp	E
79-RA25	Rackem Wheel Lock Fits Tires w/ 12"-16" Rims	F
79-77316	Spare Tire Bracket- <i>Erickson</i> Interior Mount for Enclosed Trailers	G

